

1991 SUBJECT INDEX

Activated carbon

Effect of Initial Concentration of a SOC in Natural Water on Its Adsorption by Activated Carbon 83:8:57
Issam N. Najm, Vernon L. Snoeyink, and Yves Richard

Aeration

Evaluating the Costs of Packed-Tower Aeration and GAC for Controlling Selected Organics 83:1:49
Jeffrey Q. Adams and Robert M. Clark

Evaluating Aeration Technology for Radon Removal 83:4:141
Kevin L. Dixon, Ramon G. Lee, James Smith, and Paul Zielinski

Radon in Homes Following Its Reduction in a Community Water Supply 83:4:154
Peter W. Rand, Eleanor H. Lacombe, and W. Dana Perkins Jr. (See also Errata 83:6:10)

Evaluating the Performance of Two Plastic Packings in a Crossflow Aeration Tower 83:6:88
John C. Little and Robert E. Selleck

Analytical methods

Evaluating GAC for Trihalomethane Control 83:1:38
Michael J. McGuire, Marshall K. Davis, Carol H. Tate, E. Marco Aieta, Elaine W. Howe, and John C. Crittenden

Predicting GAC Performance With Rapid Small-Scale Column Tests 83:1:77
John C. Crittenden, Parimi Sanjay Reddy, Harish Arora, John Trynoski, David W. Hand, David L. Perram, and R. Scott Summers

Effect of Natural Organic Matter on Biodegradation of a Recalcitrant Synthetic Organic Chemical 83:2:56
Chih-Jen Lu and Gerald E. Speitel Jr.

Measuring Low Radon Levels in Drinking Water Supplies 83:4:149
Jerry D. Lowry

Bromoform and Iodoform Formation Potential Tests as Surrogates for THM Formation Potential 83:5:67
David A. Reckhow and James K. Edzwald (See also Erratum 83:9:10)

Analyzing the Permeation of Organic Chemicals Through Plastic Pipes 83:7:92
Robert E. Selleck and Benito J. Marinas

Correlation of Coliform Growth

Response With Other Water Quality Parameters 83:7:98
Eugene W. Rice, Pasquale V. Scarpino, Donald J. Reasoner, Gary S. Logsdon, and Deanna K. Wild

Using Cobalt-Ultraviolet Spectrophotometry to Measure Hydrogen Peroxide Concentration in Organically Laden Groundwaters 83:8:70
Dannelle Belhateche and James M. Symons

AWWA

Face to Face 83:5:22
Policy Statements 83:7:110

Biofouling

Sensitivity of the Asiatic Clam to Various Biocidal Control Agents 83:10:79
Scott E. Belanger, Donald S. Cherry, Jerry L. Farris, Keith G. Sappington, and John Cairns Jr.

Controlling Adult Zebra Mussels With Oxidants 83:12:92
Paul L. Klerks and P.C. Fraleigh

Biological treatment

Microbial Activity in GAC Filters at the Choisy-le-Roi Treatment Plant 83:2:62
Pierre Servais, Gilles Billen, Claire Ventresque, and Guy P. Bablon

Formation and Removal of Assimilable Organic Carbon During Biological Treatment 83:12:69
Peter M. Huck, P.M. Fedorak, and W.B. Anderson

Cholera

Prevention of Waterborne Cholera in the United States 83:11:40
Gunther Craun, David Swerdlow, Robert Tauxe, Robert Clark, Kim Fox, Edwin Geldreich, Donald Reasoner, and Eugene Rice

Coagulation

A Mechanistic Study of Ozone-Induced Particle Destabilization 83:6:96
Marc Edwards and Mark M. Benjamin

Effectiveness of Natural Polyelectrolytes in Water Treatment 83:10:88
Susumu Kawamura

Coliforms

Letters to the Editor 83:1:4
Legislation/Regulation 83:1:12
Letters to the Editor 83:3:10
Legislation/Regulation 83:5:12
Investigating the Mechanism of Inactivation of *Escherichia coli* B by Monochloramine 83:5:80
Joseph G. Jacangelo, Vincent P. Olivieri, and Kazuyoshi Kawata

Correlation of Coliform Growth Response With Other Water Quality Parameters 83:7:98
Eugene W. Rice, Pasquale V. Scarpino, Donald J. Reasoner, Gary S. Logsdon, and Deanna K. Wild

Letters to the Editor 83:8:5

Computers

Evaluating the Costs of Packed-Tower Aeration and GAC for Controlling Selected Organics 83:1:49
Jeffrey Q. Adams and Robert M. Clark

Network Analysis From Planning, Engineering, Operations, and Management Perspectives 83:2:38
A. Lee Cesario

Expert Systems in Water Treatment Plant Operation 83:2:43
Stephan J. Nix and Anthony G. Collins

Hardware Used for Analyzing Water Distribution Systems in Ohio 83:2:52
Simsek Sarikelle and Gregg A. Loesch

Using Regression Analysis to Project Pumpage 83:12:45
Stephen D. Rhoades and Thomas M. Walski

Conservation

Legislation/Regulation 83:10:10
Roundtable 83:10:26

The Emerging Demand-Side Era in Water Management 83:10:38
Amy Vickers

Integrating Conservation and Water Master Planning 83:10:44
Peter P. Macy

Estimating the Effects of Conservation on Demand During Droughts 83:10:48
Keith W. Little and David H. Moreau

California Industries Cut Water Use 83:10:55
Mark Manzione, Barbara Jordan, and William O. Maddaus

Copper	
Legislation/Regulation	83:1:12
Legislation/Regulation	83:7:12
Roundtable	83:8:26
Corrosion	
Potential Effects of Polyphosphate	
Water Treatment Products on Lead	
Solubility in Plumbing	
Systems	83:7:76
Thomas R. Holm and Michael R.	
Schock (See also Letters to the Editor	
83:12:10)	
Galvanic Stimulation of Corrosion of	
Lead-Tin Solder-Sweated	
Joints	83:7:83
Steven Reiber	
Costs	
Evaluating the Costs of Packed-Tower	
Aeration and GAC for Controlling	
Selected Organics	83:1:49
Jeffrey Q. Adams and Robert M. Clark	
Conference Summary: Practical	
Aspects of the Design and Use	
of GAC	83:1:58
Jeffrey L. Oxenford and Benjamin W.	
Lykins Jr.	
Demand	
Legislation/Regulation	83:10:10
Roundtable	83:10:26
The Emerging Demand-Side Era in	
Water Management	83:10:38
Amy Vickers	
Integrating Conservation and Water	
Master Planning	83:10:44
Peter P. Macy	
Estimating the Effects of Conservation	
on Demand During	
Droughts	83:10:48
Keith W. Little and David H. Moreau	
Disinfection	
Trihalomethane Formation in Open	
Reservoirs	83:3:84
Ali A. Karimi and Philip C. Singer	
Applying Ozone for Organics Control	
and Disinfection: A Utility	
Perspective	83:5:32
David W. Ferguson, Jill T. Gramith,	
and Michael J. McGuire	
Survey of Ozone Installations in North	
America	83:5:40
Carol H. Tate	
The Effect of Sulfur-Based Reducing	
Agents and GAC Filtration	
on Chlorine Dioxide	
By-products	83:5:48
Kevin L. Dixon and Ramon G. Lee	
Using Reducing Agents to Eliminate	
Chlorine Dioxide and Chlorite Ion	
Residuals in Drinking	
Water	83:5:56
Mark H. Griese, Keith Hauser, Mona	
Berkemeier, and Gilbert Gordon	
THM Formation by the Transfer	
of Active Chlorine From	
Monochloramine to	
Phloroacetophenone	83:5:62
Kiran Kumar V. Topudurti and Charles	
N. Haas (See also Erratum 83:6:10)	
Bromoform and Iodoform Formation	
Potential Tests as Surrogates for	
THM Formation Potential ..	83:5:67
David A. Reckhow and James K.	
Edzwald (See also Erratum 83:9:10)	
Comparing Ozonation and Membrane	
Separation for Color Removal and	
Disinfection By-product	
Control	83:5:74
Lo Tan and Gary L. Amy	
Investigating the Mechanism of	
Inactivation of <i>Escherichia coli</i> B by	
Monochloramine	83:5:80
Joseph G. Jacangelo, Vincent P.	
Olivieri, and Kazuyoshi Kawata	
Predicting the Formation of DBPs by	
the Simulated Distribution	
System	83:10:62
Bart Koch, Stuart W. Krasner,	
Michael J. Scimenti, and Warren K.	
Schimpff	
Distribution systems	
Network Analysis From Planning,	
Engineering, Operations, and	
Management Perspectives	83:2:38
A. Lee Cesario	
Expert Systems in Water Treatment	
Plant Operation	83:2:43
Stephan J. Nix and Anthony G. Collins	
Hardware Used for Analyzing Water	
Distribution Systems	
in Ohio	83:2:52
Simsek Sarikelle and Gregg A. Loesch	
Assessing the Reliability of Urban	
Reservoir Supplies	83:3:46
J. Darrell Bakken and Thomas M.	
Bruns	
Calibrating Hydraulic Analyses of	
Distribution Systems Using Fluoride	
Tracers	83:7:54
Mark S. Kennedy, Simsek Sarikelle,	
and Khis Saravallop	
Locating Monitoring Stations in Water	
Distribution Systems	83:7:60
Byoung H. Lee, Rolf A. Deininger, and	
Robert M. Clark	
Field-Testing Distribution Water	
Quality Models	83:7:67
Robert M. Clark, Walter M. Grayman,	
James A. Goodrich, Rolf A. Deininger,	
and Alan F. Hess	
Potential Effects of Polyphosphate	
Water Treatment Products on Lead	
Solubility in Plumbing	
Systems	83:7:76
Thomas R. Holm and Michael R.	
Schock (See also Letters to the Editor	
83:12:10)	
Galvanic Stimulation of Corrosion of	
Lead-Tin Solder-Sweated	
Joints	83:7:83
Steven Reiber	
Analyzing the Permeation of Organic	
Chemicals Through	
Plastic Pipes	83:7:92
Robert E. Selleck and Benito J.	
Marinas	
Correlation of Coliform Growth	
Response With Other Water	
Quality Parameters	83:7:98
Eugene W. Rice, Pasquale V.	
Scarpino, Donald J. Reasoner, Gary S.	
Logsdon, and Deanna K. Wild	

Association of Microorganisms With Surfaces Within Distribution Systems	83:7:103
<i>Diane S. Herson, Dana R. Marshall, Katherine H. Baker, and Hugo T. Victoreen</i>	
Reliability Analysis for Master Planning of a Water System	83:8:46
<i>Robert J. Harberg and Peter P. Macy</i>	
Financing Capital Improvements	83:8:50
<i>Douglas W. Ayres and Scott Thorpe</i>	
Contamination of Potable Water by Permeation of Plastic Pipe	83:8:53
<i>Thomas M. Holzen, Jae Kwang Park, David Jenkins, and Robert E. Selleck</i>	
Predicting the Formation of DBPs by the Simulated Distribution System	83:10:62
<i>Bart Koch, Stuart W. Krasner, Michael J. Scimenti, and Warren K. Schimpff</i>	
Using Regression Analysis to Project Pumpage	83:12:45
<i>Stephen D. Rhoades and Thomas M. Walski</i>	
Emergency response	
Lessons Learned From the Loma Prieta Earthquake	83:11:34
<i>Mark A. Pickett, Gordon L. Laverty, Omar A. Abu-Yasein, and Chenwun Lay</i>	
Errata	
Errata	83:6:10
Errata	83:9:10
Erratum	83:12:10
Filtration	
Evaluating GAC for Trihalomethane Control	83:1:38
<i>Michael J. McGuire, Marshall K. Davis, Carol H. Tate, E. Marco Aieta, Elaine W. Howe, and John C. Crittenden</i>	
Evaluating the Costs of Packed-Tower Aeration and GAC for Controlling Selected Organics	83:1:49
<i>Jeffrey Q. Adams and Robert M. Clark</i>	
Conference Summary: Practical Aspects of the Design and Use of GAC	83:1:58
<i>Jeffrey L. Oxenford and Benjamin W. Lykins Jr.</i>	
Using Powdered Activated Carbon: A Critical Review	83:1:65
<i>Issam N. Najm, Vernon L. Snoeyink, Benjamin W. Lykins Jr., and Jeffrey Q. Adams</i>	
Predicting GAC Performance With Rapid Small-Scale Column Tests	83:1:77
<i>John C. Crittenden, Parimi Sanjay Reddy, Harish Arora, John Trynoski,</i>	
David W. Hand, David L. Perram, and R. Scott Summers	
Microbial Activity in GAC Filters at the Choisy-le-Roi Treatment Plant	83:2:62
<i>Pierre Servais, Gilles Billen, Claire Ventresque, and Guy P. Bablon</i>	
The Effect of Sulfur-Based Reducing Agents and GAC Filtration on Chlorine Dioxide By-products	83:5:48
<i>Kevin L. Dixon and Ramon G. Lee</i>	
Assessing Perlite as a Sand Substitute in Filtration	83:6:70
<i>Semra Siber Uluatam</i>	
Removal of Soluble Manganese by Oxide-Coated Filter Media: Sorption Rate and Removal Mechanism Issues	83:8:64
<i>William R. Knocke, Suzanne C. Occiano, and Robert Hungate</i>	
Review of Effects of Silver-Impregnated Carbon Filters on Microbial Water Quality	83:8:74
<i>Frank A. Bell Jr.</i>	
Evaluating Modifications to Slow Sand Filters	83:9:62
<i>M. Robin Collins, T. Taylor Eighmy, and James P. Malley Jr.</i>	
The Haberer Process: Combining Contact Flocculation, Filtration, and PAC Adsorption	83:9:82
<i>Klaus Haberer and Sabine Normann-Schmidt</i>	
Pilot Testing the Haberer Process in the United States	83:9:90
<i>John R. Stukenberg and James C. Hesby</i>	
Low-Pressure Membrane Filtration for Removing Giardia and Microbial Indicators	83:9:97
<i>Joseph G. Jacangelo, Jean-Michel Lainé, Keith E. Carns, Edward W. Cummings, and Joël Mallevalle</i>	
Giardiasis Risk From an Unfiltered, Protected Surface Water Source	83:11:46
<i>Joseph L. Glicker and Roger A. Edwards</i>	
Modeling the Risk From Giardia and Viruses in Drinking Water	83:11:76
<i>Stig Regli, Joan B. Rose, Charles N. Haas, and Charles P. Gerba</i>	
Granular activated carbon	
Evaluating GAC for Trihalomethane Control	83:1:38
<i>Michael J. McGuire, Marshall K. Davis, Carol H. Tate, E. Marco Aieta, Elaine W. Howe, and John C. Crittenden</i>	
Evaluating the Costs of Packed-Tower Aeration and GAC for Controlling Selected Organics	83:1:49
<i>Jeffrey Q. Adams and Robert M. Clark</i>	
Conference Summary: Practical Aspects of the Design and Use of GAC	83:1:58
<i>Jeffrey L. Oxenford and Benjamin W. Lykins Jr.</i>	
Predicting GAC Performance With Rapid Small-Scale Column Tests	83:1:77
<i>John C. Crittenden, Parimi Sanjay Reddy, Harish Arora, John Trynoski, David W. Hand, David L. Perram, and R. Scott Summers</i>	
Microbial Activity in GAC Filters at the Choisy-le-Roi Treatment Plant	83:2:62
<i>Pierre Servais, Gilles Billen, Claire Ventresque, and Guy P. Bablon</i>	
The Effect of Sulfur-Based Reducing Agents and GAC Filtration on Chlorine Dioxide By-products	83:5:48
<i>Kevin L. Dixon and Ramon G. Lee</i>	

Formation and Removal of Assimilable Organic Carbon During Biological Treatment	83:12:69 <i>Peter M. Huck, P.M. Fedorak, and W.B. Anderson</i>
Using Anion Exchange Resins to Remove THM Precursors	83:12:61 <i>Philip H.-S. Kim and James M. Symons</i>
Groundwater	
Legislation/Regulation	83:3:20
The Impact of the Surface Water Treatment Rule on Groundwater	
<i>David J. Hiltbrand, Zaid K. Chowdhury, and Linda A. Wancho</i>	83:3:52
(See also Letters to the Editor 83:6:10)	
Is Remediated Groundwater Meeting SDWA Requirements?	83:3:55 <i>James A. Goodrich, Benjamin W. Lykins Jr., Robert M. Clark, and E. Timothy Oppelt</i>
Variations in Organic and Organoleptic Water Quality During Treatment of Artificially Recharged Groundwater	83:3:63 <i>August Bruchet, K. N'Guyen, M.F. Legrand, and Joël Mallevialle</i>
Using Cobalt-Ultraviolet Spectrophotometry to Measure Hydrogen Peroxide Concentration in Organically Laden Groundwaters	83:8:70 <i>Dannelle Belkachete and James M. Symons</i>
Pilot Study on Treatment of Surface Water for Groundwater Injection	83:12:56 <i>Eva C. Nieminski and Susan L. Fenhaus</i>
Predicting and Verifying Organics Removal by PAC in an Ultrafiltration System	83:12:81 <i>Samer S. Adam, Vernon L. Snoeyink, Mark M. Clark, and Jean-Luc Bersillon</i>
Health effects	
Review of Effects of Silver-Impregnated Carbon Filters on Microbial Water Quality	83:8:74 <i>Frank A. Bell Jr.</i>
Application of Gene Probe Technology to the Water Industry	83:9:71 <i>Kenneth J. Richardson, Mic H. Stewart, and Roy L. Wolfe</i>
Low-Pressure Membrane Filtration for Removing Giardia and Microbial Indicators	83:9:97 <i>Joseph G. Jacangelo, Jean-Michel Lainé, Keith E. Carns, Edward W. Cummings, and Joël Mallevialle</i>
Prevention of Waterborne Cholera in the United States	83:11:40 <i>Gunther Craun, David Swerdlow, Robert Tauxe, Robert Clark, Kim Fox, Edwin Geldreich, Donald Reasoner, and Eugene Rice</i>
Giardiasis Risk From an Unfiltered, Protected Surface Water	83:11:46 <i>Joseph L. Glicker and Roger A. Edwards</i>
Process Selection for Potable Reuse Health Effects Studies	83:11:52 <i>William C. Lauer, Stephen E. Rogers, Anthony M. LaChance, and Myron K. Nealey</i>
Inactivation of Cell-Associated and Dispersed Hepatitis A Virus in Water	83:11:64 <i>Mark D. Sobsey, Takashi Fuji, and Richard M. Hall</i>
Comparative Subchronic Toxicity of Chlorine and Monochloramine in the B6C3F1 Mouse	83:11:68 <i>F. Bernard Daniel, H. Paul Ringhand, Merrell Robinson, Judy A. Stober, Greg R. Olson, and Norbert P. Page</i>
Modeling the Risk From <i>Giardia</i> and Viruses in Drinking Water	83:11:76 <i>Stig Regli, Joan B. Rose, Charles N. Haas, and Charles P. Gerba</i>
Hepatitis	
Waterborne Viruses Associated With Hepatitis Outbreak	83:3:80 <i>Albert Bosch, Francisco Lucena, Jose M. Diez, Rodrigo Gajardo, Miquel Blasi, and Juan Jofre</i>
Inactivation of Cell-Associated and Dispersed Hepatitis A Virus in Water	83:11:64 <i>Mark D. Sobsey, Takashi Fuji, and Richard M. Hall</i>
Infrastructure	
Roundtable	83:7:30
Potential Effects of Polyphosphate Water Treatment Products on Lead Solubility in Plumbing Systems	83:7:76 <i>Thomas R. Holm and Michael R. Schok (See also Letters to the Editor 83:12:10)</i>
Galvanic Stimulation of Corrosion of Lead-Tin Solder-Sweated Joints	83:7:83 <i>Steven Reiber</i>
Analyzing the Permeation of Organic Chemicals Through Plastic Pipes	83:7:92 <i>Robert E. Selleck and Benito J. Marinas</i>
Association of Microorganisms With Surfaces Within Distribution Systems	83:7:103 <i>Diane S. Herson, Dana R. Marshall, Katherine H. Baker, and Hugo T. Vicenteen</i>
Reliability Analysis for Master Planning of a Water System	83:8:46 <i>Robert J. Harberg and Peter P. Macy</i>
Financing Capital Improvements	83:8:50 <i>Douglas W. Ayres and Scott Thorpe</i>
Contamination of Potable Water by Permeation of Plastic Pipe	83:8:53 <i>Thomas M. Holsen, Jae Kwang Park, David Jenkins, and Robert E. Selleck</i>
Permeation of Polybutylene Pipe and Gasket Material by Organic Chemicals	83:10:71 <i>Jae K. Park, Laurent Bontoux, T.M. Holsen, D. Jenkins, and R.E. Selleck</i>
The Effect of Soils on the Permeation of Plastic Pipes by Organic Chemicals	83:11:85 <i>Thomas M. Holsen, Jae K. Park, Laurent Bontoux, David Jenkins, and Robert E. Selleck</i>
Inorganics	
Legislation/Regulation	83:1:12
Legislation/Regulation	83:8:20
International water supply	
Microbial Activity in GAC Filters at the Choisy-le-Roi Treatment Plant	83:2:62 <i>Pierre Servais, Gilles Billen, Claire Ventresque, and Guy P. Babon</i>
Variations in Organic and Organoleptic Water Quality During Treatment of Artificially Recharged Groundwater	83:3:63 <i>August Bruchet, K. N'Guyen, M.F. Legrand, and Joël Mallevialle</i>
Face to Face	83:6:26
European Drinking Water Standards	83:6:48 <i>Michael Carney</i>
Main Features of Large Water Treatment Plants in Japan	83:6:56 <i>Susumu Kawamura and R. Rhodes Trussell</i>
Reselling and Vending Water: A Challenge for Water Utilities in Developing Countries	83:6:63 <i>Tapio S. Katko</i>
Assessing Perlite as a Sand Substitute in Filtration	83:6:70 <i>Semra Siber Uluatam</i>
Reverse Osmosis Applications in Saudi Arabia	83:6:72 <i>Abdullah M. El-Rehaili</i>
Prevention of Waterborne Cholera in the United States	83:11:40 <i>Gunther Craun, David Swerdlow, Robert Tauxe, Robert Clark, Kim Fox, Edwin Geldreich, Donald Reasoner, and Eugene Rice</i>
Lead	
Legislation/Regulation	83:1:12
Legislation/Regulation	83:7:12
Potential Effects of Polyphosphate Water Treatment Products on Lead Solubility in Plumbing Systems	83:7:76 <i>Thomas R. Holm and Michael R. Schok (See also Letters to the Editor 83:12:10)</i>

Galvanic Stimulation of Corrosion of Lead-Tin Solder-Sweated Joints	83:7:83	Diane S. Herson, Dana R. Marshall, Katherine H. Baker, and Hugo T. Victoreen	Association of Microorganisms With Surfaces Within Distribution Systems	83:7:103	Comparative Subchronic Toxicity of Chlorine and Monochloramine in the B6C3F1 Mouse	83:11:68																																																																																																																																																																								
<i>Steven Reiber</i>					<i>F. Bernard Daniel, H. Paul Ringhand, Merrell Robinson, Judy A. Stober, Greg R. Olson, and Norbert P. Page</i>																																																																																																																																																																									
Roundtable	83:8:26																																																																																																																																																																													
Management																																																																																																																																																																														
Network Analysis From Planning, Engineering, Operations, and Management Perspectives	83:2:38	Review of Effects of Silver-Impregnated Carbon Filters on Microbial Water Quality	83:8:74	1990 Errata																																																																																																																																																																										
<i>A. Lee Cesario</i>		<i>Frank A. Bell Jr.</i>		Expert Systems in Water Treatment Plant Operation	83:2:43	Application of Gene Probe Technology to the Water Industry	83:9:71	Erratum	83:3:10	<i>Stephan J. Nix and Anthony G. Collins</i>		<i>Kenneth J. Richardson, Mic H. Stewart, and Roy L. Wolfe</i>				The Emerging Demand-Side Era in Water Management	83:10:38	Low-Pressure Membrane Filtration for Removing <i>Giardia</i> and Microbial Indicators	83:9:97	Organics			<i>Amy Vickers</i>		<i>Joseph G. Jacangelo, Jean-Michel Lainé, Keith E. Carns, Edward W. Cummings, and Joël Mallevialle</i>		Effective Watershed Management for Surface Water Supplies	83:12:34			Evaluating GAC for Trihalomethane Control	83:1:38	<i>Richard Robbins</i>				<i>Michael J. McGuire, Marshall K. Davis, Carol H. Tate, E. Marco Aieta, Elaine W. Howe, and John C. Crittenden</i>		Manganese							Kinetics of Manganese and Iron Oxidation by Potassium Permanganate and Chlorine Dioxide	83:6:80	Calibrating Hydraulic Analyses of Distribution Systems Using Fluoride Tracers	83:7:54	Evaluating the Costs of Packed-Tower Aeration and GAC for Controlling Selected Organics	83:1:49	<i>William R. Knocke, John E. Van Benschoten, Maureen J. Kearney, Andrew W. Soborski, and David A. Reckhow</i>		<i>Mark S. Kennedy, Simsek Sarikelle, and Khis Suravallop</i>		<i>Jeffrey Q. Adams and Robert M. Clark</i>		Removal of Soluble Manganese by Oxide-Coated Filter Media: Sorption Rate and Removal Mechanism Issues	83:8:64	Field-Testing Distribution Water Quality Models	83:7:67	Conference Summary: Practical Aspects of the Design and Use of GAC	83:1:58	<i>William R. Knocke, Suzanne C. Occiano, and Robert Hungate</i>		<i>Robert M. Clark, Walter M. Grayman, James A. Goodrich, Rolf A. Deininger, and Alan F. Hess</i>		<i>Jeffrey L. Oxenford and Benjamin W. Lykins Jr.</i>		Membranes							Comparing Ozonation and Membrane Separation for Color Removal and Disinfection By-product Control	83:5:74	Predicting the Formation of DBPs by the Simulated Distribution System	83:10:62	Using Powdered Activated Carbon: A Critical Review	83:1:65	<i>Lo Tan and Gary L. Amy</i>		<i>Bart Koch, Stuart W. Krasner, Michael J. Scilimeti, and Warren K. Schimpff</i>		<i>Issam N. Najm, Vernon L. Snoeyink, Benjamin W. Lykins Jr., and Jeffrey Q. Adams</i>		Low-Pressure Membrane Filtration for Removing <i>Giardia</i> and Microbial Indicators	83:9:97	Modeling the Risk From <i>Giardia</i> and Viruses in Drinking Water	83:11:76	Predicting GAC Performance With Rapid Small-Scale Column Tests	83:1:77	<i>Joseph G. Jacangelo, Jean-Michel Lainé, Keith E. Carns, Edward W. Cummings, and Joël Mallevialle</i>		<i>Stig Regli, Joan B. Rose, Charles N. Haas, and Charles P. Gerba</i>		<i>John C. Crittenden, Parimi Sanjay Reddy, Harish Arora, John Trynoski, David W. Hand, David L. Perram, and R. Scott Summers</i>		Microorganisms							Microbial Activity in GAC Filters at the Choisy-le-Roi Treatment Plant	83:2:62	Locating Monitoring Stations in Water Distribution Systems	83:7:60	Effect of Natural Organic Matter on Biodegradation of a Recalcitrant Synthetic Organic Chemical	83:2:56	<i>Pierre Servais, Gilles Billen, Claire Ventresque, and Guy P. Bablon</i>		<i>Byoung H. Lee, Rolf A. Deininger, and Robert M. Clark</i>		<i>Chih-Jen Lu and Gerald E. Speitel Jr.</i>		Waterborne Viruses Associated With Hepatitis Outbreak	83:3:80	Legislation/Regulation	83:9:16	Accumulation and Adsorption Capacity of PAC in a Slurry Recirculating Clarifier	83:2:69	<i>Albert Bosch, Francisco Lucena, José M. Diez, Rodrigo Gajardo, Miguel Blasi, and Juan Jofre</i>		Remote Biological Monitoring in an Open Finished-Water Reservoir	83:9:107	<i>Karim Kassam, Peter M. Huck, Albert van Roosdelaar, and Riyaz Shariff</i>		Correlation of Coliform Growth Response With Other Water Quality Parameters	83:7:98	<i>Brian N. White, Dale A. Kiefer, John H. Morrow, and Gary F. Stolarik</i>		Variations in Organic and Organoleptic Water Quality During Treatment of Artificially Recharged Groundwater	83:3:63	<i>Eugene W. Rice, Pasquale V. Scarino, Donald J. Reasoner, Gary S. Logsdon, and Deanna K. Wild</i>				<i>August Bruchet, K. N'Guyen, M.F. Legrand, and Joël Mallevialle</i>		Monochloramines							THM Formation by the Transfer of Active Chlorine From Monochloramine to Phloroacetophenone	83:5:62	The Impact of Ozonation on Particle Stability and the Removal of TOC and THM Precursors	83:3:71	<i>Kiran Kumar V. Topudurti and Charles N. Haas (See also Erratum 83:6:10)</i>		<i>S. David Chang and Philip C. Singer</i>		Investigating the Mechanism of Inactivation of <i>Escherichia coli</i> B by Monochloramine	83:5:80	Trihalomethane Formation in Open Reservoirs	83:3:84	<i>Joseph G. Jacangelo, Vincent P. Olivieri, and Kazuyoshi Kawata</i>		<i>Ali A. Karimi and Philip C. Singer</i>		Applying Ozone for Organics Control and Disinfection: A Utility Perspective	83:5:32	THM Formation by the Transfer of Active Chlorine From		<i>David W. Ferguson, Jill T. Gramith, and Michael J. McGuire</i>			
Expert Systems in Water Treatment Plant Operation	83:2:43	Application of Gene Probe Technology to the Water Industry	83:9:71	Erratum	83:3:10																																																																																																																																																																									
<i>Stephan J. Nix and Anthony G. Collins</i>		<i>Kenneth J. Richardson, Mic H. Stewart, and Roy L. Wolfe</i>																																																																																																																																																																												
The Emerging Demand-Side Era in Water Management	83:10:38	Low-Pressure Membrane Filtration for Removing <i>Giardia</i> and Microbial Indicators	83:9:97	Organics																																																																																																																																																																										
<i>Amy Vickers</i>		<i>Joseph G. Jacangelo, Jean-Michel Lainé, Keith E. Carns, Edward W. Cummings, and Joël Mallevialle</i>		Effective Watershed Management for Surface Water Supplies	83:12:34			Evaluating GAC for Trihalomethane Control	83:1:38	<i>Richard Robbins</i>				<i>Michael J. McGuire, Marshall K. Davis, Carol H. Tate, E. Marco Aieta, Elaine W. Howe, and John C. Crittenden</i>		Manganese							Kinetics of Manganese and Iron Oxidation by Potassium Permanganate and Chlorine Dioxide	83:6:80	Calibrating Hydraulic Analyses of Distribution Systems Using Fluoride Tracers	83:7:54	Evaluating the Costs of Packed-Tower Aeration and GAC for Controlling Selected Organics	83:1:49	<i>William R. Knocke, John E. Van Benschoten, Maureen J. Kearney, Andrew W. Soborski, and David A. Reckhow</i>		<i>Mark S. Kennedy, Simsek Sarikelle, and Khis Suravallop</i>		<i>Jeffrey Q. Adams and Robert M. Clark</i>		Removal of Soluble Manganese by Oxide-Coated Filter Media: Sorption Rate and Removal Mechanism Issues	83:8:64	Field-Testing Distribution Water Quality Models	83:7:67	Conference Summary: Practical Aspects of the Design and Use of GAC	83:1:58	<i>William R. Knocke, Suzanne C. Occiano, and Robert Hungate</i>		<i>Robert M. Clark, Walter M. Grayman, James A. Goodrich, Rolf A. Deininger, and Alan F. Hess</i>		<i>Jeffrey L. Oxenford and Benjamin W. Lykins Jr.</i>		Membranes							Comparing Ozonation and Membrane Separation for Color Removal and Disinfection By-product Control	83:5:74	Predicting the Formation of DBPs by the Simulated Distribution System	83:10:62	Using Powdered Activated Carbon: A Critical Review	83:1:65	<i>Lo Tan and Gary L. Amy</i>		<i>Bart Koch, Stuart W. Krasner, Michael J. Scilimeti, and Warren K. Schimpff</i>		<i>Issam N. Najm, Vernon L. Snoeyink, Benjamin W. Lykins Jr., and Jeffrey Q. Adams</i>		Low-Pressure Membrane Filtration for Removing <i>Giardia</i> and Microbial Indicators	83:9:97	Modeling the Risk From <i>Giardia</i> and Viruses in Drinking Water	83:11:76	Predicting GAC Performance With Rapid Small-Scale Column Tests	83:1:77	<i>Joseph G. Jacangelo, Jean-Michel Lainé, Keith E. Carns, Edward W. Cummings, and Joël Mallevialle</i>		<i>Stig Regli, Joan B. Rose, Charles N. Haas, and Charles P. Gerba</i>		<i>John C. Crittenden, Parimi Sanjay Reddy, Harish Arora, John Trynoski, David W. Hand, David L. Perram, and R. Scott Summers</i>		Microorganisms							Microbial Activity in GAC Filters at the Choisy-le-Roi Treatment Plant	83:2:62	Locating Monitoring Stations in Water Distribution Systems	83:7:60	Effect of Natural Organic Matter on Biodegradation of a Recalcitrant Synthetic Organic Chemical	83:2:56	<i>Pierre Servais, Gilles Billen, Claire Ventresque, and Guy P. Bablon</i>		<i>Byoung H. Lee, Rolf A. Deininger, and Robert M. Clark</i>		<i>Chih-Jen Lu and Gerald E. Speitel Jr.</i>		Waterborne Viruses Associated With Hepatitis Outbreak	83:3:80	Legislation/Regulation	83:9:16	Accumulation and Adsorption Capacity of PAC in a Slurry Recirculating Clarifier	83:2:69	<i>Albert Bosch, Francisco Lucena, José M. Diez, Rodrigo Gajardo, Miguel Blasi, and Juan Jofre</i>		Remote Biological Monitoring in an Open Finished-Water Reservoir	83:9:107	<i>Karim Kassam, Peter M. Huck, Albert van Roosdelaar, and Riyaz Shariff</i>		Correlation of Coliform Growth Response With Other Water Quality Parameters	83:7:98	<i>Brian N. White, Dale A. Kiefer, John H. Morrow, and Gary F. Stolarik</i>		Variations in Organic and Organoleptic Water Quality During Treatment of Artificially Recharged Groundwater	83:3:63	<i>Eugene W. Rice, Pasquale V. Scarino, Donald J. Reasoner, Gary S. Logsdon, and Deanna K. Wild</i>				<i>August Bruchet, K. N'Guyen, M.F. Legrand, and Joël Mallevialle</i>		Monochloramines							THM Formation by the Transfer of Active Chlorine From Monochloramine to Phloroacetophenone	83:5:62	The Impact of Ozonation on Particle Stability and the Removal of TOC and THM Precursors	83:3:71	<i>Kiran Kumar V. Topudurti and Charles N. Haas (See also Erratum 83:6:10)</i>		<i>S. David Chang and Philip C. Singer</i>		Investigating the Mechanism of Inactivation of <i>Escherichia coli</i> B by Monochloramine	83:5:80	Trihalomethane Formation in Open Reservoirs	83:3:84	<i>Joseph G. Jacangelo, Vincent P. Olivieri, and Kazuyoshi Kawata</i>		<i>Ali A. Karimi and Philip C. Singer</i>		Applying Ozone for Organics Control and Disinfection: A Utility Perspective	83:5:32	THM Formation by the Transfer of Active Chlorine From		<i>David W. Ferguson, Jill T. Gramith, and Michael J. McGuire</i>																										
Effective Watershed Management for Surface Water Supplies	83:12:34			Evaluating GAC for Trihalomethane Control	83:1:38																																																																																																																																																																									
<i>Richard Robbins</i>				<i>Michael J. McGuire, Marshall K. Davis, Carol H. Tate, E. Marco Aieta, Elaine W. Howe, and John C. Crittenden</i>																																																																																																																																																																										
Manganese																																																																																																																																																																														
Kinetics of Manganese and Iron Oxidation by Potassium Permanganate and Chlorine Dioxide	83:6:80	Calibrating Hydraulic Analyses of Distribution Systems Using Fluoride Tracers	83:7:54	Evaluating the Costs of Packed-Tower Aeration and GAC for Controlling Selected Organics	83:1:49																																																																																																																																																																									
<i>William R. Knocke, John E. Van Benschoten, Maureen J. Kearney, Andrew W. Soborski, and David A. Reckhow</i>		<i>Mark S. Kennedy, Simsek Sarikelle, and Khis Suravallop</i>		<i>Jeffrey Q. Adams and Robert M. Clark</i>																																																																																																																																																																										
Removal of Soluble Manganese by Oxide-Coated Filter Media: Sorption Rate and Removal Mechanism Issues	83:8:64	Field-Testing Distribution Water Quality Models	83:7:67	Conference Summary: Practical Aspects of the Design and Use of GAC	83:1:58																																																																																																																																																																									
<i>William R. Knocke, Suzanne C. Occiano, and Robert Hungate</i>		<i>Robert M. Clark, Walter M. Grayman, James A. Goodrich, Rolf A. Deininger, and Alan F. Hess</i>		<i>Jeffrey L. Oxenford and Benjamin W. Lykins Jr.</i>																																																																																																																																																																										
Membranes																																																																																																																																																																														
Comparing Ozonation and Membrane Separation for Color Removal and Disinfection By-product Control	83:5:74	Predicting the Formation of DBPs by the Simulated Distribution System	83:10:62	Using Powdered Activated Carbon: A Critical Review	83:1:65																																																																																																																																																																									
<i>Lo Tan and Gary L. Amy</i>		<i>Bart Koch, Stuart W. Krasner, Michael J. Scilimeti, and Warren K. Schimpff</i>		<i>Issam N. Najm, Vernon L. Snoeyink, Benjamin W. Lykins Jr., and Jeffrey Q. Adams</i>																																																																																																																																																																										
Low-Pressure Membrane Filtration for Removing <i>Giardia</i> and Microbial Indicators	83:9:97	Modeling the Risk From <i>Giardia</i> and Viruses in Drinking Water	83:11:76	Predicting GAC Performance With Rapid Small-Scale Column Tests	83:1:77																																																																																																																																																																									
<i>Joseph G. Jacangelo, Jean-Michel Lainé, Keith E. Carns, Edward W. Cummings, and Joël Mallevialle</i>		<i>Stig Regli, Joan B. Rose, Charles N. Haas, and Charles P. Gerba</i>		<i>John C. Crittenden, Parimi Sanjay Reddy, Harish Arora, John Trynoski, David W. Hand, David L. Perram, and R. Scott Summers</i>																																																																																																																																																																										
Microorganisms																																																																																																																																																																														
Microbial Activity in GAC Filters at the Choisy-le-Roi Treatment Plant	83:2:62	Locating Monitoring Stations in Water Distribution Systems	83:7:60	Effect of Natural Organic Matter on Biodegradation of a Recalcitrant Synthetic Organic Chemical	83:2:56																																																																																																																																																																									
<i>Pierre Servais, Gilles Billen, Claire Ventresque, and Guy P. Bablon</i>		<i>Byoung H. Lee, Rolf A. Deininger, and Robert M. Clark</i>		<i>Chih-Jen Lu and Gerald E. Speitel Jr.</i>																																																																																																																																																																										
Waterborne Viruses Associated With Hepatitis Outbreak	83:3:80	Legislation/Regulation	83:9:16	Accumulation and Adsorption Capacity of PAC in a Slurry Recirculating Clarifier	83:2:69																																																																																																																																																																									
<i>Albert Bosch, Francisco Lucena, José M. Diez, Rodrigo Gajardo, Miguel Blasi, and Juan Jofre</i>		Remote Biological Monitoring in an Open Finished-Water Reservoir	83:9:107	<i>Karim Kassam, Peter M. Huck, Albert van Roosdelaar, and Riyaz Shariff</i>																																																																																																																																																																										
Correlation of Coliform Growth Response With Other Water Quality Parameters	83:7:98	<i>Brian N. White, Dale A. Kiefer, John H. Morrow, and Gary F. Stolarik</i>		Variations in Organic and Organoleptic Water Quality During Treatment of Artificially Recharged Groundwater	83:3:63																																																																																																																																																																									
<i>Eugene W. Rice, Pasquale V. Scarino, Donald J. Reasoner, Gary S. Logsdon, and Deanna K. Wild</i>				<i>August Bruchet, K. N'Guyen, M.F. Legrand, and Joël Mallevialle</i>																																																																																																																																																																										
Monochloramines																																																																																																																																																																														
THM Formation by the Transfer of Active Chlorine From Monochloramine to Phloroacetophenone	83:5:62	The Impact of Ozonation on Particle Stability and the Removal of TOC and THM Precursors	83:3:71																																																																																																																																																																											
<i>Kiran Kumar V. Topudurti and Charles N. Haas (See also Erratum 83:6:10)</i>		<i>S. David Chang and Philip C. Singer</i>																																																																																																																																																																												
Investigating the Mechanism of Inactivation of <i>Escherichia coli</i> B by Monochloramine	83:5:80	Trihalomethane Formation in Open Reservoirs	83:3:84																																																																																																																																																																											
<i>Joseph G. Jacangelo, Vincent P. Olivieri, and Kazuyoshi Kawata</i>		<i>Ali A. Karimi and Philip C. Singer</i>																																																																																																																																																																												
Applying Ozone for Organics Control and Disinfection: A Utility Perspective	83:5:32	THM Formation by the Transfer of Active Chlorine From																																																																																																																																																																												
<i>David W. Ferguson, Jill T. Gramith, and Michael J. McGuire</i>																																																																																																																																																																														

Monochloramine to Phloroacetophenone	83:5:62
<i>Kirankumar V. Topudurti and Charles N. Haas (See also Erratum 83:6:10)</i>	
Bromoform and Iodoform Formation Potential Tests as Surrogates for THM Formation Potential	83:5:67
<i>David A. Reckhow and James K. Edzwald (See also Errata 83:9:10)</i>	
Analyzing the Permeation of Organic Chemicals Through Plastic Pipes	83:7:92
<i>Robert E. Selleck and Benito J. Marinas</i>	
Legislation/Regulation	83:8:20
Contamination of Potable Water by Permeation of Plastic Pipe	83:8:53
<i>Thomas M. Holsen, Jae Kwang Park, David Jenkins, and Robert E. Selleck</i>	
Using Cobalt-Ultraviolet Spectrophotometry to Measure Hydrogen Peroxide Concentration in Organically Laden Groundwaters	83:8:70
<i>Dannelle Belhateche and James M. Symons</i>	
Pilot Testing the Haberer Process in the United States	83:9:90
<i>John R. Stukenberg and James C. Hesby</i>	
Permeation of Polybutylene Pipe and Gasket Material by Organic Chemicals	83:10:71
<i>Jae K. Park, Laurent Bontoux, T.M. Holsen, D. Jenkins, and R.E. Selleck</i>	
The Effect of Soils on the Permeation of Plastic Pipes by Organic Chemicals	83:11:85
<i>Thomas M. Holsen, Jae K. Park, Laurent Bontoux, David Jenkins, and Robert E. Selleck</i>	
Using Anion Exchange Resins to Remove THM Precursors	83:12:61
<i>Philip H.-S. Kim and James M. Symons</i>	
Formation and Removal of Assimilable Organic Carbon During Biological Treatment	83:12:69
<i>Peter M. Huck, P.M. Fedorak, and W.B. Anderson</i>	
Predicting and Verifying Organics Removal by PAC in an Ultrafiltration System	83:12:81
<i>Samer S. Adam, Vernon L. Snoeyink, Mark M. Clark, and Jean-Luc Bersillon</i>	
Oxidants	
Effect of Natural Organic Matter on Biodegradation of a Recalcitrant Synthetic Organic Chemical	83:2:56
<i>Chih-Jen Lu and Gerald E. Speitel Jr.</i>	
Kinetics of Manganese and Iron Oxidation by Potassium Permanganate and Chlorine Dioxide	83:6:80
<i>William R. Knocke, John E. Van Benschoten, Maureen J. Kearney, Andrew W. Soborski, and David A. Reckhow</i>	
Removal of Soluble Manganese by Oxide-Coated Filter Media: Sorption	
Rate and Removal Mechanism Issues	83:8:64
<i>William R. Knocke, Suzanne C. Occiano, and Robert Hungate</i>	
Controlling Adult Zebra Mussels With Oxidants	83:12:92
<i>Paul L. Klerks and P.C. Fraleigh</i>	
Ozone	
The Impact of Ozonation on Particle Stability and the Removal of TOC and THM Precursors	83:3:71
<i>S. David Chang and Philip C. Singer</i>	
Applying Ozone for Organics Control and Disinfection: A Utility Perspective	83:5:32
<i>David W. Ferguson, Jill T. Gramith, and Michael J. McGuire</i>	
Survey of Ozone Installations in North America	83:5:40
<i>Carol H. Tate</i>	
Comparing Ozonation and Membrane Separation for Color Removal and Disinfection By-product Control	83:5:74
<i>Lo Tan and Gary L. Amy</i>	
A Mechanistic Study of Ozone-Induced Particle Destabilization	83:6:96
<i>Marc Edwards and Mark M. Benjamin</i>	
Packed towers	
Evaluating the Costs of Packed-Tower Aeration and GAC for Controlling Selected Organics	83:1:49
<i>Jeffrey Q. Adams and Robert M. Clark</i>	
Evaluating the Performance of Two Plastic Packings in a Crossflow Aeration Tower	83:6:88
<i>John C. Little and Robert E. Selleck</i>	
Plastic pipe	
Analyzing the Permeation of Organic Chemicals Through Plastic Pipes	83:7:92
<i>Robert E. Selleck and Benito J. Marinas</i>	
Contamination of Potable Water by Permeation of Plastic Pipe	83:8:53
<i>Thomas M. Holsen, Jae Kwang Park, David Jenkins, and Robert E. Selleck</i>	
Permeation of Polybutylene Pipe and Gasket Material by Organic Chemicals	83:10:71
<i>Jae K. Park, Laurent Bontoux, T.M. Holsen, D. Jenkins, and R.E. Selleck</i>	
The Effect of Soils on the Permeation of Plastic Pipes by Organic Chemicals	83:11:85
<i>Thomas M. Holsen, Jae K. Park, Laurent Bontoux, David Jenkins, and Robert E. Selleck</i>	
Planning	
Network Analysis From Planning, Engineering, Operations, and Management Perspectives	83:2:38
<i>A. Lee Cesario</i>	
Viewpoint	83:3:30
Assessing the Reliability of Urban Reservoir Supplies	83:3:46
<i>J. Darrell Bakken and Thomas M. Bruns</i>	
Reliability Analysis for Master Planning of a Water System	83:8:46
<i>Robert J. Harberg and Peter P. Macy</i>	
Financing Capital Improvements	83:8:50
<i>Douglas W. Ayres and Scott Thorpe</i>	
Integrating Conservation and Water Master Planning	83:10:44
<i>Peter P. Macy</i>	
Plant operations	
Network Analysis From Planning, Engineering, Operations, and Management Perspectives	83:2:38
<i>A. Lee Cesario</i>	
Expert Systems in Water Treatment Plant Operation	83:2:43
<i>Stephan J. Nix and Anthony G. Collins</i>	
Main Features of Large Water Treatment Plants in Japan	83:6:56
<i>Susumu Kawamura and R. Rhodes Trussell</i>	
Kinetics of Manganese and Iron Oxidation by Potassium Permanganate and Chlorine Dioxide	83:6:80
<i>William R. Knocke, John E. Van Benschoten, Maureen J. Kearney, Andrew W. Soborski, and David A. Reckhow</i>	
Removal of Soluble Manganese by Oxide-Coated Filter Media: Sorption Rate and Removal Mechanism Issues	83:8:64
<i>William R. Knocke, Suzanne C. Occiano, and Robert Hungate</i>	
Mechanical Dewatering of Alum Solids and Acidified Solids: An Evaluation	83:9:50
<i>Mark M. Bishop, David A. Cornwell, A.T. Rolan, and Thomas L. Bailey</i>	
Laboratory Comparison of DAF With Conventional Treatment	83:9:56
<i>James P. Malley Jr. and James K. Edzwald</i>	
Policy statements	
Policy Statements—Conservation, Employee Training and Career Development, and Discontinuance of Water Service for Nonpayment	83:7:110
Powdered activated carbon	
Using Powdered Activated Carbon: A Critical Review	83:1:65
<i>Issam N. Najm, Vernon L. Snoeyink, Benjamin W. Lykins Jr., and Jeffrey Q. Adams</i>	
Accumulation and Adsorption Capacity of PAC in a Slurry Recirculating Clarifier	83:2:69
<i>Karim Kassam, Peter M. Huck, Albert van Roosdaelaar, and Riyaz Shariff</i>	

The Haberer Process: Combining Contact Flocculation, Filtration, and PAC Adsorption	83:9:82	Predicting GAC Performance With Rapid Small-Scale Column Tests	83:1:77
<i>Klaus Haberer and Sabine Normann-Schmidt</i>		<i>John C. Crittenden, Parimi Sanjay Reddy, Harish Arora, John Trynoski, David W. Hand, David L. Perram, and R. Scott Summers</i>	
Pilot Testing the Haberer Process in the United States	83:9:90	Process Selection for Potable Reuse Health Effects Studies	83:11:52
<i>John R. Stukenberg and James C. Hesby</i>		<i>William C. Lauer, Stephen E. Rogers, Anthony M. LaChance, and Myron K. Nealey</i>	
Predicting and Verifying Organics Removal by PAC in an Ultrafiltration System	83:12:81	SDWA	
<i>Samer S. Adham, Vernon L. Snoeyink, Mark M. Clark, and Jean-Luc Bersillon</i>		Legislation/Regulation	83:2:10
Precursor removal		Is Remediated Groundwater Meeting SDWA Requirements?	83:3:55
The Impact of Ozonation on Particle Stability and the Removal of TOC and THM Precursors	83:3:71	<i>James A. Goodrich, Benjamin W. Lykins Jr., Robert M. Clark, and E. Timothy Oppelt</i>	
<i>S. David Chang and Philip C. Singer</i>		Sludge	
Using Anion Exchange Resins to Remove THM Precursors	83:12:61	Agronomic Effects of Land Application of Water Treatment Sludges	83:4:126
<i>Philip H.-S. Kim and James M. Symons</i>		<i>Herschel A. Elliott and Brian A. Dempsey</i>	
Predicting and Verifying Organics Removal by PAC in an Ultrafiltration System	83:12:81	Radioactivity in Water Treatment Wastes: A Perspective	83:4:134
<i>Samer S. Adham, Vernon L. Snoeyink, Mark M. Clark, and Jean-Luc Bersillon</i>		<i>Marc J. Parrotta</i>	
Public relations		Mechanical Dewatering of Alum Solids and Acidified Solids: An Evaluation	83:9:50
Viewpoint	83:2:12	<i>Mark M. Bishop, David A. Cornwell, A.T. Rolan, and Thomas L. Bailey</i>	
Roundtable	83:11:26	A Pilot-Scale Study of Alum Sludge Dewatering in a Freezing Bed	83:12:51
Pumping		<i>James C. Martel</i>	
Using Regression Analysis to Project Pumpage	83:12:45	Surface Water Treatment Rule	
<i>Stephen D. Rhoades and Thomas M. Walski</i>		Legislation/Regulation	83:1:12
Radionuclides		The Impact of the Surface Water Treatment Rule on Groundwater	83:3:52
Legislation/Regulation	83:1:12	<i>David J. Hiltbrand, Zaid K. Chowdhury, and Linda A. Wancho</i>	
Legislation/Regulation	83:4:20	Is Remediated Groundwater Meeting SDWA Requirements?	83:3:55
Radioactivity in Water Treatment Wastes: A Perspective	83:4:134	<i>James A. Goodrich, Benjamin W. Lykins Jr., Robert M. Clark, and E. Timothy Oppelt</i>	
<i>Marc J. Parrotta</i>		Legislation/Regulation	83:4:20
Evaluating Aeration Technology for Radon Removal	83:4:141	Radioactivity in Water Treatment Wastes: A Perspective	83:4:134
<i>Kevin L. Dixon, Ramon G. Lee, James Smith, and Paul Zielinski</i>		<i>Marc J. Parrotta</i>	
Measuring Low Radon Levels in Drinking Water Supplies	83:4:149	Legislation/Regulation	83:5:12
<i>Jerry D. Lowry</i>		Legislation/Regulation	83:6:18
Radon in Homes Following Its Reduction in a Community Water Supply	83:4:154	Legislation/Regulation	83:7:12
<i>Peter W. Rand, Eleanor H. Lacombe, and W. Dana Perkins Jr.</i>		Legislation/Regulation	83:8:20
Errata	83:6:10	Roundtable	83:8:26
Rapid small-scale column tests		Legislation/Regulation	83:9:16
Evaluating GAC for Trihalomethane Control	83:1:38	Legislation/Regulation	83:10:10
<i>Michael J. McGuire, Marshall K. Davis, Carol H. Tate, E. Marco Aieta, Elaine W. Howe, and John C. Crittenden</i>		Legislation/Regulation	83:11:20
Reservoirs		Legislation/Regulation	83:12:24
Assessing the Reliability of Urban Reservoir Supplies	83:3:46	Synthetic organic chemicals	
<i>J. Darrell Bakken and Thomas M. Bruns</i>		Using Powdered Activated Carbon: A Critical Review	83:1:65
Trihalomethane Formation in Open Reservoirs	83:3:84	<i>Issam N. Najm, Vernon L. Snoeyink, Benjamin W. Lykins Jr., and Jeffrey Q. Adams</i>	
<i>Ali A. Karimi and Philip C. Singer</i>		Predicting GAC Performance With Rapid Small-Scale Column Tests	83:1:77
Remote Biological Monitoring in an Open Finished-Water Reservoir	83:9:107	<i>John C. Crittenden, Parimi Sanjay Reddy, Harish Arora, John Trynoski, David W. Hand, David L. Perram, and R. Scott Summers</i>	
<i>Brian N. White, Dale A. Kiefer, John H. Morrow, and Gary F. Stolarik</i>		Effect of Natural Organic Matter on Biodegradation of a Recalcitrant Synthetic Organic Chemical	83:2:56
Reuse		<i>Chih-Jen Lu and Gerald E. Speitel Jr.</i>	
Reverse Osmosis Applications in Saudi Arabia	83:6:72	Effect of Initial Concentration of a SOC in Natural Water on Its Adsorption by Activated Carbon	83:8:57
<i>Abdullah M. El-Rehaili</i>		<i>Issam N. Najm, Vernon L. Snoeyink, and Yves Richard</i>	
Taste and odor		Variations in Organic and Organoleptic Water Quality During Treatment of	

Artificially Recharged Groundwater 83:3:63 <i>August Bruchet, K. N'Guyen, M.F. Legrand, and Joël Mallevalle</i>	Ultrafiltration	Calibrating Hydraulic Analyses of Distribution Systems Using Fluoride Tracers 83:7:54 <i>Mark S. Kennedy, Simsek Sarikelle, and Khis Suravallop</i>
Remote Biological Monitoring in an Open Finished-Water Reservoir 83:9:107 <i>Brian N. White, Dale A. Kiefer, John H. Morrow, and Gary F. Stolarik</i>	US Environmental Protection Agency	The Emerging Demand-Side Era in Water Management 83:10:38 <i>Amy Vickers</i>
Treatment processes	Face to Face 83:2:18	Integrating Conservation and Water Master Planning 83:10:44 <i>Peter P. Macy</i>
Laboratory Comparison of DAF With Conventional Treatment 83:9:56 <i>James P. Malley Jr. and James K. Edzwald</i>	Radioactivity in Water Treatment Wastes: A Perspective 83:4:134 <i>Marc J. Parrotta</i>	Estimating the Effects of Conservation on Demand During Droughts 83:10:48 <i>Keith W. Little and David H. Moreau</i>
Evaluating Modifications to Slow Sand Filters 83:9:62 <i>M. Robin Collins, T. Taylor Eighmy, and James P. Malley Jr.</i>	Viruses	California Industries Cut Water Use 83:10:55 <i>Mark Manzione, Barbara Jordan, and William O. Maddaus</i>
The Haberer Process: Combining Contact Flocculation, Filtration, and PAC Adsorption 83:9:82 <i>Klaus Haberer and Sabine Normann-Schmidt</i>	Waterborne Viruses Associated With Hepatitis Outbreak 83:3:80 <i>Albert Bosch, Francisco Lucena, José M. Diez, Rodrigo Gajardo, Miquel Blasi, and Juan Jofre</i>	Using Regression Analysis to Project Pumpage 83:12:45 <i>Stephen D. Rhoades and Thomas M. Walski</i>
Pilot Testing the Haberer Process in the United States 83:9:90 <i>John R. Stukenberg and James C. Hesby</i>	Inactivation of Cell-Associated and Dispersed Hepatitis A Virus in Water 83:11:64 <i>Mark D. Sobsey, Takashi Fuji, and Richard M. Hall</i>	Waterborne disease
Effectiveness of Natural Polyelectrolytes in Water Treatment 83:10:88 <i>Susumu Kawamura</i>	Modeling the Risk From <i>Giardia</i> and Viruses in Drinking Water 83:11:76 <i>Stig Regli, Joan B. Rose, Charles N. Haas, and Charles P. Gerba</i>	Waterborne Viruses Associated With Hepatitis Outbreak 83:3:80 <i>Albert Bosch, Francisco Lucena, José M. Diez, Rodrigo Gajardo, Miquel Blasi, and Juan Jofre</i>
Pilot Study on Treatment of a Surface Water for Groundwater Injection 83:12:56 <i>Eva C. Nieminski and Susan L. Fenhaus</i>	Volatile organic chemicals	Application of Gene Probe Technology to the Water Industry 83:9:71 <i>Kenneth J. Richardson, Mic H. Stewart, and Roy L. Wolfe</i>
Formation and Removal of Assimilable Organic Carbon in Biological Drinking Water Treatment 83:12:69 <i>Peter M. Huck, P.M. Fedorak, and W.B. Anderson</i>	Evaluating the Costs of Packed-Tower Aeration and GAC for Controlling Selected Organics 83:1:49 <i>Jeffrey Q. Adams and Robert M. Clark</i>	Low-Pressure Membrane Filtration for Removing <i>Giardia</i> and Microbial Indicators 83:9:97 <i>Joseph G. Jacangelo, Jean-Michel Lainé, Keith E. Carns, Edward W. Cummings, and Joël Mallevalle</i>
Trihalomethanes	Conference Summary: Practical Aspects of the Design and Use of GAC 83:1:58 <i>Jeffrey L. Oxenford and Benjamin W. Lykins Jr.</i>	Prevention of Waterborne Cholera in the United States 83:11:40 <i>Gunther Craun, David Swerdlow, Robert Tauxe, Robert Clark, Kim Fox, Edwin Geldreich, Donald Reasoner, and Eugene Rice</i>
Evaluating GAC for Trihalomethane Control 83:1:38 <i>Michael J. McGuire, Marshall K. Davis, Carol H. Tate, E. Marco Aieta, Elaine W. Howe, and John C. Crittenden</i>	Using Powdered Activated Carbon: A Critical Review 83:1:65 <i>Issam N. Najm, Vernon L. Snoeyink, Benjamin W. Lykins Jr., and Jeffrey Q. Adams</i>	Giardiasis Risk From an Unfiltered, Protected Surface Water Source 83:11:46 <i>Joseph L. Glicker and Roger A. Edwards</i>
The Impact of Ozonation on Particle Stability and the Removal of TOC and THM Precursors 83:3:71 <i>S. David Chang and Philip C. Singer</i>	Evaluating the Performance of Two Plastic Packings in a Crossflow Aeration Tower 83:6:88 <i>John C. Little and Robert E. Selleck</i>	Inactivation of Cell-Associated and Dispersed Hepatitis A Virus in Water 83:11:64 <i>Mark D. Sobsey, Takashi Fuji, and Richard M. Hall</i>
Trihalomethane Formation in Open Reservoirs 83:3:84 <i>Ali A. Karimi and Philip C. Singer</i>	Water rights	Modeling the Risk From <i>Giardia</i> and Viruses in Drinking Water 83:11:76 <i>Stig Regli, Joan B. Rose, Charles N. Haas, and Charles P. Gerba</i>
THM Formation by the Transfer of Active Chlorine From Monochloramine to Phloroacetophenone 83:5:62 <i>Kirankumar V. Topudurti and Charles N. Haas (See also Erratum 83:6:10)</i>	Roundtable 83:3:36	Watersheds
Bromoform and Iodoform Formation Potential Tests as Surrogates for THM Formation Potential 83:5:67 <i>David A. Reckhow and James K. Edzwald (See also Erratum 83:9:10)</i>	Water supply planning	Effective Watershed Management for Surface-Water Supplies 83:12:34 <i>Richard Robbins</i>
Using Anion Exchange Resins to Remove THM Precursors 83:12:61 <i>Philip H.-S. Kim and James M. Symons</i>	Network Analysis From Planning, Engineering, Operations, and Management Perspectives 83:2:38 <i>A. Lee Cesario</i>	Zebra mussels
	Viewpoint 83:3:30	Controlling Adult Zebra Mussels With Oxidants 83:12:92 <i>Paul L. Klerks and P.C. Fraleigh</i>
	Assessing the Reliability of Urban Reservoir Supplies 83:3:46 <i>J. Darrell Bakken and Thomas M. Bruns</i>	
	Water use	
	Student Water Use 83:4:132 <i>Walron M. McLellan</i>	

1991 AUTHOR INDEX

Abu-Yasein, Omar A.—83:11:34
Adams, Jeffrey Q.—83:1:49, 83:1:65
Adham, Samer S.—83:12:81
Aieta, Marco—83:1:38
Amy, Gary L.—83:5:74
Anderson, W.B.—83:12:69
Arora, Harish—83:1:77
Ayres, Douglas W.—83:8:50
Bablon, Guy P.—83:2:62
Bailey, Thomas L.—83:9:50
Baker, Katherine H.—83:7:103
Bakken, J. Darrell—83:3:46
Bell, Frank A. Jr.—83:8:74
Bellanger, Scott E.—83:10:79
Bellhatche, Dannelle—83:8:70
Benjamin, Mark M.—83:6:96
Benson, Robert B.—83:8:40
Berkemeier, Mona—83:5:56
Bersillon, Jean-Luc—83:12:81
Billen, Gilles—83:2:62
Bishop, Mark M.—83:9:50
Blasi, Miguel—83:3:80
Bloem, Douglas M.—83:12:34
Bontoux, Laurent—83:10:71, 83:11:85
Bosch, Albert—83:3:80
Bruchet, Auguste—83:3:63
Bruns, Thomas M.—83:3:46
Cairns, John Jr.—83:10:79
Carney, Michael—83:6:48
Carns, Keith E.—83:9:97
Cesario, A. Lee—83:2:38
Chang, S. David—83:3:71
Cherry, Donald S.—83:10:79
Chowdhury, Zaid K.—83:3:52
Clark, Mark M.—83:12:81
Clark, Robert M.—83:1:49, 83:3:55,
 83:7:60, 83:7:67
Collins, Anthony G.—83:2:43
Collins, M. Robin—83:9:62
Cornwell, David A.—83:9:50
Craun, Gunther—83:1:40
Crittenden, John C.—83:1:38, 83:1:77
Cummings, Edward W.—83:9:97
Daniel, F. Bernard—83:11:68
Davis, Marshall K.—83:1:38
Deininger, Rolf A.—83:7:60, 83:7:67
Dempsey, Brian A.—83:4:126
Diez, José M.—83:3:80
Dixon, Kevin L.—83:4:141, 83:5:48
Edwards, Roger W.—83:11:46
Edwards, Marc—83:6:96
Edzwald, James K.—83:5:67, 83:9:56
Eighmy, T. Taylor—83:9:62
Elliott, Herschel—83:4:126
El-Rehaili, Abdullah M.—83:6:72
Farris, Jerry L.—83:10:79
Fedorak, P.M.—83:12:69
Fenhaus, Susan L.—83:12:56
Ferguson, David W.—83:5:32
Fox, Kim—83:11:40
Fraleigh, P.C.—83:12:92
Fuji, Takashi—83:11:64
Gajardo, Rodrigo—83:3:80
Geldreich, Edwin—83:11:40
Gerba, Charles P.—83:11:76
Glicker, Joseph L.—83:11:46, 83:12:34
Goodrich, James A.—83:3:55, 83:7:67
Gordon, Gilbert—83:5:56
Gramith, Jill T.—83:5:40
Grayman, Walter M.—83:7:67
Greise, Mark H.—83:5:56
Haas, Charles N.—83:5:62, 83:11:76
Haberer, Klaus—83:9:82
Hall, Richard M.—83:11:64
Hand, David W.—83:1:77
Harberg, Robert J.—83:8:46
Hauser, Keith—83:5:56
Herson, Diane S.—83:7:103
Hesby, James C.—83:9:90
Hess, Alan F.—83:7:67
Hiltebrand, David J.—83:3:52
Holm, Thomas R.—83:7:76
Holsen, Thomas M.—83:8:53, 83:10:71,
 83:11:85
Howe, Elaine W.—83:1:38
Huck, Peter M.—83:2:69, 83:12:69
Hungate, Robert—83:8:64
Jacangelo, Joseph G.—83:5:80, 83:9:97
Jenkins, David—83:8:53, 83:10:71, 83:11:85
Jofre, Juan—83:3:80
Jordan, Barbara—83:10:55
Karimi, Ali A.—83:3:84
Kassam, Karim—83:2:69
Katko, Tapio S.—83:6:63
Kawamura, Susumu—83:6:56, 83:10:88
Kawata, Kazuyoshi—83:5:80
Kearney, Maureen J.—83:6:80
Kennedy, Mark S.—83:7:54
Kiefer, Dale A.—83:9:107
Kim, Philip Heon-Soo—83:12:61
Klerks, Paul L.—83:12:92
Koch, Bart—83:10:62
Knocke, William R.—83:6:80, 83:8:64
Krasner, Stuart W.—83:10:62
LaChance, Anthony M.—83:11:52
Lacombe, Eleanor H.—83:4:154
Lainé, Jean-Michel—83:9:97
Lauer, William D.—83:11:52
Laverty, Gordon L.—83:11:34
Lay, Chenwun—83:11:34
Legrand, M.F.—83:3:63
Lee, Byoung H.—83:7:60
Lee, Ramon G.—83:4:141, 83:5:48
Little, John C.—83:6:88
Little, Keith W.—83:10:48
Loesch, Gregg A.—83:2:52
Logsdon, Gary S.—83:7:98
Lowry, Jerry D.—83:4:149
Lucena, Francisco—83:3:80
Lykins, Benjamin W. Jr.—83:1:58,
 83:1:65, 83:3:55
Lu, Chih-Jen—83:2:56
McLellan, Waldron M.—83:4:132
McGuire, Michael J.—83:1:38
Macy, Peter P.—83:8:46, 83:10:44
Maddaus, William O.—83:10:55
Mallevialle, Joël—83:3:63, 83:9:97
Malley, James P. Jr.—83:9:56, 83:9:62
Manzione, Mark—83:10:55
Marinas, Benito J.—83:7:92
Marshall, Dana R.—83:7:103
Martel, James C.—83:12:51
Moreau, David H.—83:10:48
Morrow, John H.—83:9:107
Najm, Issam N.—83:1:65, 83:8:57
Nealey, Myron K.—83:11:52
N'Guyen, K.—83:3:63
Nieminski, Eva C.—83:12:56
Niss, Bruce M.—83:12:34
Nix, Stephen J.—83:2:43
Normann-Schmidt, Sabine—83:9:82
Occiano, Suzanne C.—83:8:64
Olivieri, Vincent P.—83:5:80
Olsen, Greg R.—83:1:68
Oppelt, E. Timothy—83:3:55
Oxford, Jeffrey L.—83:1:58
Page, Norbert P.—83:11:68
Park, Jae Kwang—83:8:53, 83:10:71, 83:11:85
Parotta, Marc J.—83:4:134
Perkins, W. Dana Jr.—83:4:154
Perram, David L.—83:1:77
Pickett, Mark A.—83:11:34
Rand, Peter W.—83:4:154
Reasoner, Donald J.—83:7:98, 83:11:40
Reckhow, David A.—83:5:67, 83:6:80
Reddy, Parimi Sanjay—83:1:77
Regli, Stig—83:11:76
Reiber, Steven—83:7:83
Rhoades, Stephen D.—83:12:45
Rice, Eugene W.—83:7:98, 83:11:40
Richard, Yves—83:8:57
Richardson, Kenneth J.—83:9:71
Ringhand, H. Paul—83:11:68
Robbins, Richard W.—83:12:34
Robinson, Merrell—83:11:68
Rogers, Stephen E.—83:11:52
Rolan, A.T.—83:9:50
Rose, Joan B.—83:11:76
Sappington, Keith G.—83:10:79
Sarikelle, Simsek—83:2:52, 83:7:54
Scarpino, Pasquale V.—83:7:98
Schimpf, Warren K.—83:10:62
Schock, Michael R.—83:7:76
Sciamenti, Michael J.—83:10:62
Selleck, Robert E.—83:6:88, 83:7:92,
 83:8:53, 83:10:71, 83:11:85
Servais, Pierre—83:2:62
Shariff, Riyaz—83:2:69
Singer, Philip C.—83:3:71, 83:3:84
Smith, James—83:4:141
Snoeyink, Vernon L.—83:1:65, 83:8:57,
 83:12:81
Soborski, Andrew W.—83:6:80
Sobsey, Mark D.—83:11:64
Spietel, Gerald E. Jr.—83:2:56
Stewart, Mic H.—83:9:71
Stober, Judy A.—83:11:68
Stolarik, Gary F.—83:9:107
Stukenberg, John R.—83:9:90
Summers, R. Scott—83:1:77
Suravallop, Khis—83:7:54
Swerdlow, David—83:11:40
Symons, James M.—83:8:70, 83:12:61
Tan, Lo—83:5:74
Tauxe, Robert—83:11:40
Tate, Carol H.—83:1:38
Thorpe, Scott—83:8:50
Topudurti, Kirankumar V.—83:5:62
Trussell, R. Rhodes—83:6:56
Trynoski, John—83:1:77
Uluatam, Semra Siber—83:6:70
Van Benschoten, John E.—83:6:80
van Roosdelaar, Albert—83:2:69
Ventresque, Claire—83:2:62
Vickers, Amy—83:10:38
Victoreen, Hugo T.—83:7:103
Walski, Thomas M.—83:12:45
Wancho, Linda A.—83:3:52
White, Brian N.—83:9:107
Wild, Deanna K.—83:7:98
Wolfe, Roy L.—83:9:71
Zielinski, Paul—83:4:141